



For additional install information please visit www.p3gauges.com/install

ND MX5/124 Spider Display Install



1 Remove vent from vehicle



2a Using a small screwdriver release the tab on the bottom of the vent (6 O'clock position)



2b Release three remaining tabs under felt at 3, 9, and 12 O'clock positions



3 Remove trim ring from housing

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



4 Squeeze vent into oval shape to release flap pins



5 Remove flaps from housing



For additional install information please visit www.p3gauges.com/install



6 Remove slat assembly from housing



7a Use a screwdriver to spread tabs and release center shaft as shown




7b Push center shaft toward front of housing as shown



7c Remove center shaft from front of housing

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



8 Feed display cable through housing as shown



9 Seat display in vent housing (slot shown should in 6 O'clock position when installed in vehicle)



For additional install
information please visit
www.p3gauges.com/install



10 Reinstall trim ring onto vent housing



WARRANTY & LIABILITY:
Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.

You can now reinstall into vehicle.